

This Application—Two copies must be filled out completely, printed or typed, and signed by applicant.

RICE COUNTY HIGHWAY DEPARTMENT

APPLICATION FOR PERMIT TO MOVE BUILDINGS

KIND OF BUILDING (Check Square) Frame Stucco Brick Wallboard Inside Walls Plaster Wood Wallboard No. of Stories Hgth. of Bldg. Ft. In. (excluding foundation)

Overall Width Ft. In. Overall Length Ft. In. Weight of Building Lbs.

TOWING VEHICLE: Truck Truck-Tractor Other Make Capacity License Number Stenciled Wt. Lbs.

Front Dollies Single Axle Tandem Axle No. Dollies No. & Type Tires Tire Size & Ply License No. Licensed for Lbs.

Rear Dollies Single Axle Tandem Axle No. Dollies No. & Type Tires Tire Size & Ply License No. Licensed for Lbs.

OVERALL DIMENSIONS INCLUDING TOWING VEHICLE: Width Ft. In. Length Ft. in. Height Ft. In.

BUILDING CARRIED ON DOLLIES ONLY: Gross Weight per Dolly Lbs. Right Dolly Lbs. Left Dolly Lbs. Front Dolly Rear

BUILDING CARRIED ON TRUCK-TRACTOR FRONT AND DOLLIES REAR: Single Drive Axle Truck-Tractor Gross Weight per Axle and Dollies Lbs. Lbs. Right Dolly Lbs. Left Dolly Lbs. Front Axle Drive Axle Rear

Tandem Drive Axle Truck-Tractor Gross Weight per Axle and Dollies Lbs. Lbs. Right Dolly Lbs. Left Dolly Lbs. Front Axle Drive Axle Rear

Movement to be from Town Highway Intersecton to Town Highway Intersecton

Via County Highway Numbers Total No. Miles

Movement to Be During Dates of 19 Hours of Day A.M. R.M.

Estimated Time Required for Movement on the County Highways (Only) Hours Minutes

How Traffic Can Pass

How Will Traffic Be Protected?

PUBLIC LIABILITY — PROPERTY DAMAGE — BOND COVERAGE

Amount of Public Liability and Property Damage Insurance Carried (Limits) Company

Amount of Bond Coverage Company

I (We) understand that a permit does not authorize or does not in any way apply to the use of license plates and has no effect on the motor vehicle registration or motor vehicle tax laws.

If granted this permit I (We) do hereby agree to comply with provisions of the permit to take all necessary and reasonable precautions to maintain the safety of this movement and to be responsible for all liability for personal injury or property damage which may occur in connection with this movement; and in the event any claim is made against the County of Rice, officer, or employee thereof, through, by reason of, or in connection with any such act or omission applicant shall indemnify and hold them and each of them harmless from such claim.

I (We) also do hereby agree to comply with all regulations, provisions, and limitations which apply to this movement if permission is granted.

Further, if granted this permit I (We) do hereby agree to repair at my (our) own expense and to the satisfaction of the County Engineer any damage to the highways or structures thereon. Work of repair may be done by the Department of Highway forces at the option of the Department of Highways. Cost to be borne by the applicant.

Permission for movement over roads other than County Highways must be obtained from authorities under whose jurisdiction such roads come. A ten (10) day period for making an inspection to determine if movement should be allowed may be required.

Name of Owner of Building Address

Name of Moving Contractor Address

Applicant (Signature) Address

SUBMIT TO RICE COUNTY HIGHWAY DEPT. APPLICANT DO NOT WRITE BELOW THIS LINE

Movement of Buildings Permit

Permit No.

(PERMIT NOT VALID UNLESS BEARING SIGNATURE AND NUMBER)

PERMISSION FOR THIS MOVEMENT IS HEREBY GRANTED TO:

Subject to compliance with the provisions of the Minnesota Highway Traffic Regulation Act and under the terms, conditions, and restrictions contained below and on the reverse side of this permit and is subject to revocation upon non-compliance. (Check Below Legal Limitations Exceeded.)

Overwidth Overheight Overlength Overweight Unequal Distribution of Weight No brakes Towing Other:

Dates of Movement A.M. P.M. Via T.H.

Special Requirements:

THIS PERMIT TO BE CARRIED ON VEHICLE DURING THE ABOVE MENTIONED MOVEMENT RICE COUNTY HIGHWAY DEPT.

Dated 19 at A.M. P.M. Authorized by

SEE REVERSE SIDE FOR REGULATIONS AND PAGE 3 FOR APPLICATION LIMITATIONS.

PERTINENT REGULATIONS UNDER HIGHWAY TRAFFIC ACT AND MINNESOTA HIGHWAY LAWS

GENERAL (PUBLIC SAFETY)

1. Safety of Other Traffic—Care should be taken at all times to protect the traveling public.
2. Parking on Highway—In case of breakdown of vehicles or moving equipment, the same shall be moved off the Highway Right of Way. In the event that the breakdown is such that the equipment or vehicles cannot be moved, Flags and Flares must be placed as required by law.
3. Railroad Grade Crossings—Complete stop required at all railroad grade crossing approaches by vehicles having in tow any other vehicle or any vehicle which is of the slow moving type, or of the tractor or caterpillar type.
4. Flags, Flares, Lights and Reflectors—Must comply with legal requirements.
 - A. On all loads extending 4 feet in rear of vehicle—display red flags at least 16 inches square.
 - B. On all chain, rope or cable connections—display white flags 12 inches square.
 - C. On all overwidth loads and on disabled vehicles—display orange or yellow flags 24 inches square.
 - D. If equipment or building is left on the highway at night suitable warning lights in accordance with the legal requirements are to be used.
5. Brake Requirements—All requirements as to brakes and method of control to be complied with in accordance with the highway traffic regulation act except as otherwise stated on the face of the permit.
6. Structures being trailed are to be hitched so that they track on turns and do not whip.
7. License plates must be legible at all times and must be clearly discernible.
8. Compliance with all motor vehicle registration or motor vehicle tax laws.
9. Compliance with all vehicular regulations required at all times.

SPECIAL PROVISIONS (PUBLIC SAFETY)

1. Protection on Bridges or Narrow Roads—When crossing bridges or when traveling on narrow roads where it is not possible to permit movement of two way traffic, flagmen shall be stationed ahead and behind of equipment to warn and direct approaching traffic.
2. If temporary by pass or detour is being used for traffic, sufficient flagmen shall watch, direct, and protect traffic.
3. Inclement Weather and Highway Surface Condition—Movement shall not start if visibility is poor or if highway surfaces are continuously slippery—If movement has been started and is in progress and the above mentioned conditions develop, movement must be stopped until the condition becomes alleviated or permission to proceed has been obtained.
4. Cleaning Up After Movement—After movement has been completed and especially where it has been necessary to plank structure floors or where movement has been made over railroad grade crossings all foreign materials must be removed from the highway right of way or from the railroad tracks immediately after the movement over the structure or tracks has been completed.
5. Movement to be stopped and structure and equipment to be removed from highway right of way if damage occurs.
6. Where trees are located along the highway right of way and the movement of the building may damage such trees, provision must be made to protect same from damage.

PERTINENT REGULATIONS UNDER HIGHWAY TRAFFIC ACT

1. Responsibility for Structures—(Bridges or Underpasses)—The permittee shall comply with all rules posted on any bridges or underpasses over which he shall travel or under, and shall assume all risks relative thereto. When due to the surface type it becomes necessary to plank, planks of sufficient strength to protect the surface must be used.
2. Restricted Roads—Movement over restricted roads in excess of posted limits are not permitted.
3. Trailed Equipment—In trailing equipment the trailed equipment shall not have wires or other appurtenances on the building or equipment which might cut or damage the road surface or shoulders.

RESPONSIBILITY

1. Liability for Damages—The permittee is responsible for all liability for personal injury or property damage which may occur in connection with this movement, and in event any claim is made against the County of Rice, officer, or employee thereof, through, by reason of, or in connection with any act or omission, permittee shall defend, indemnify and hold them and each of them harmless from any claim.
2. Repair of Damage—In accepting this permit, the permittee agrees to repair at his (their) expense and to the satisfaction of the County Engineer, any damages to the highway surfaces, structures, or any other state properties. Work of repair may be done by the county highway forces at the option of the County Engineer. Cost of such work to be borne by the permittee.

TIME LIMIT AND HOURS OF MOVEMENT

1. Time of movement shall be during the dates specified on the face of this permit. If extension of time is necessary in order to permit completion of movement, written authorization of such extension of time must be obtained.
2. Daytime Movement—Movement shall be during daylight hours only unless specifically stated on the face of the permit.
3. Saturday, Sunday, Holiday Movement—There shall be no movement on Saturday, Sunday or Holidays unless specifically stated on the face of the permit. The person in charge of the moving of the structure must have an approved permit in his possession at all times during the progress of the movement. The permit shall be open to inspection by any police officer or authorized agent of any authority granting such permit.
4. After Completion of the Movement an inspection of the Highways Traveled to be made if so Required on the Permit.

LIMITATIONS

1. No movement on Saturday, Sunday, Holidays or after dark.
2. No movement allowed on steel, wood, or solid rubber tires if damage will occur.
3. No signs, guard rail or other county property shall be removed or disturbed.
4. No anchors or braces are to be placed on roadway or shoulders.
5. Movement on rollers or skids not allowed except for short distances when damage will not occur.
6. Movement not allowed if roads are wet or slippery or if visibility is poor.
7. No movement allowed on shoulders except when and where damage will not occur.
8. Movement to be during daylight hours only and in the event of a breakdown, building and equipment to be removed from highway right of way.
9. No movement allowed on roads exceeding posted limitations during seasonal restrictions or at any other time.
10. Loads on bridges exceeding legal or posted limitations are not allowable unless analysis indicates movement can be made without damage to structures.
11. A permit is required for the crossing of a trunk highway if weight exceeds ten tons on equipment with pneumatic tires or when steel, wood, or solid rubber tires are used.
12. No movement over roads which in the opinion of the County Highway Engineer would be damaged.

PRELIMINARY REQUIREMENTS

1. Application must be completely filled out as requested, otherwise issuance of permit may be delayed.
2. Arrangements for the raising, lowering or cutting of public utility wires must be made in advance.
3. In case where detouring of traffic is necessary, releases from local authorities releasing the County of Rice from all responsibility must be obtained in advance and arrangements for marking and maintaining detours must be made with the proper authorities.
4. If movement is through a municipality, approval for movement must be also obtained from the proper authorities.
5. If movement is over bridge and house width distance between railings or guard rail, house is to be raised, before movement is started to such height so as to allow the safe clearance and not to cause delay.
6. Insurance in the amount of not less than \$5,000 property damage and \$10,000 and \$20,000 public liability must be carried by all house movers or persons moving houses on county highways, subject to approval of the County Attorney.

REQUIREMENTS DURING MOVEMENT

1. Traffic to be protected at all times and to be delayed only momentarily.
2. Flagmen to be stationed so as to give advance warning and to protect traffic while movement is being made onto and off of highway.
3. If movement is over bridge, flagmen to stop or to direct traffic in advance of approach to structure.
4. Complete stop required at all railroad grade crossing approaches by vehicle having in tow any other vehicle or any vehicle of the tractor or caterpillar type or vehicles towing loads on rollers or skids.
5. In event of breakdown during movement equipment and load to be moved from highway right of way.
6. Red or orange flags to be placed on structure at all extremities in accordance with highway regulations.
7. While moving onto and off of pavement the edge of slab is to be protected.
8. The person in charge of moving structure must have an approved permit which shall be carried in the vehicle or combination of vehicles at all times during the progress of moving and said permit shall be open to inspection by any police officer or authorized agent of any authority granting such permit.
9. Movement to be stopped and structure to be removed from highway right of way if damage occurs.
10. In the event that it is impossible to remove a disabled vehicle or building from the highway right of way at night flares and lights are to be shown in accordance with the law and sufficient men to be stationed to warn and protect traffic at all times.
11. Where trees are located along the highway right of way and the movement of the building may damage such trees, provisions must be made to protect same from damages.
12. If movement is over R. R. tracks, applicant must have all dirt and foreign materials removed from tracks immediately after movement over tracks has been completed.
13. If R. R. tracks are to be crossed at grade or otherwise the company or its agents shall be given sufficient notice of the time of such crossing.
14. Keep to the right of center of roadway whenever possible.
15. Do not park on roadway.
16. Structures being trailed to be hitched so that they track on turns and do not whip.
17. All trailers, semi-trailers or other vehicles must have adequate brakes controlled from the cab of the towing vehicle.
18. Flags, flares, lights and reflectors must comply with legal requirements.
 - (a) Display red flag at least 16 inches square on all loads extending 4 feet in rear of vehicle.
 - (b) Display white flag 12 inches square on all chain, rope or cable connections.
 - (c) Display orange or yellow flags 24 inches square whenever a vehicle is disabled and on all overwidth loads.
19. License plates must be legible at all times and must be clearly visible.
20. Compliance with all motor vehicle registration or motor vehicle tax laws.
21. Compliance with all vehicular equipment regulations required at all times.